

draft

11/13-1.F
EW-2-20-01**FAX Transmission Sheet****BURR & BROWN***Intellectual Property Practice*

101 South Salina Street, 7th Floor
Syracuse, New York 13202

Telephone: (315) 233-8300

Facsimile: (315) 233-8320

Date: February 21, 2001

To: Examiner J. Yu
Group Art Unit 3764
U.S. Patent and Trademark Office

Fax No.: 703-306-4520

From: Kevin C. Brown

Re: U.S. Patent Application No. 09/335,714
Dwayne Lacey
- HEAD MASSAGING DEVICE -

You should receive 4 page(s) including this cover sheet. If you do not receive all pages, please call (315) 233-8300.

COMMENTS:

Dear Examiner Yu:

Attached are proposed new claims 21-36 for our discussion later today. I look forward to discussing them with you.

IMPORTANT - THIS MESSAGE IS INTENDED ONLY FOR THE USE OF THE INDIVIDUAL OR ENTITY TO WHICH IT IS ADDRESSED, AND MAY CONTAIN INFORMATION THAT IS PRIVILEGED, CONFIDENTIAL AND EXEMPT FROM DISCLOSURE UNDER APPLICABLE LAW. IF THE READER OF THIS MESSAGE IS NOT THE INTENDED RECIPIENT, OR THE EMPLOYEE OR AGENT RESPONSIBLE TO DELIVER IT TO THE INTENDED RECIPIENT, YOU ARE HEREBY NOTIFIED THAT READING, DISSEMINATING, DISTRIBUTING OR COPYING THIS COMMUNICATION IS STRICTLY PROHIBITED. IF YOU HAVE RECEIVED THIS COMMUNICATION IN ERROR, PLEASE IMMEDIATELY NOTIFY US BY TELEPHONE, AND DESTROY THE COMMUNICATION. THANK YOU.

BURR & BROWN

B1

--21. A head massaging device comprising a plurality of resilient and pliable fingers, said fingers each having a free end and an opposite end, said opposite ends being connected together, said fingers defining a self-supporting head-receiving space for receiving a head, said space extending between said free ends and said opposite ends and having a self-maintained opening at one end formed by a juxtaposition of said free ends of said fingers, said opening being of a circumference smaller ^{than a circumference of said head} and at least a portion of said head-receiving space having a circumference which is greater than said circumference of said opening whereby, in use, when said device is lowered on to said head so that said head enters said head-receiving space through said opening, said free ends of said fingers apply pressure to and thus massage said head.

22. The device according to claim 21, wherein each said free end of each said finger is smoothly terminated.

23. The device according to claim 22, wherein each said free end is terminated in a bulb or ball-like structure.

24. The device according to claim 2, wherein said fingers comprise wire.

25. The device according to claim 4, wherein said fingers are electrically conductive.

26. The device according to claim 2, wherein said fingers comprise copper wire.

27. The device according to claim 21, wherein said device comprises from four to twenty-four said fingers.

28. The device according to claim 21, wherein said connected opposite ends of said fingers terminate in or form a handle for gripping and manipulating said massaging device.

B1 Cont.
29. A head massaging device comprising a plurality of resilient fingers, said fingers each having a free end and an opposite end, said opposite ends being connected together and terminating in or forming a handle for gripping and manipulating said massaging device, each of said fingers having an intermediate length that extends generally transversely from said handle and a contiguous length extending downwardly and inwardly from said intermediate length and terminating in said free end, said intermediate length and contiguous length of said fingers together defining a head-receiving space for receiving a space, said space extending between said free ends and said opposite ends and having an opening at one end formed by a juxtaposition of said free ends of said fingers, said opening having a circumference smaller than a circumference of said head, and at least a portion of said head-receiving space having a circumference which exceeds said circumference of said opening whereby, in use, when said device is lowered on to said head so that said head enters said head-receiving space through said opening, said free ends of said fingers apply pressure to and thus massage said head.

forming a transverse extending portion immediately adjacent the handle, and followed by a transversely extending portion, said contiguous portion

30. The device according to claim 29, wherein said fingers are pliable so that the size and shape of said opening can be varied.

each of the fingers form a transverse extending portion adjacent to

31. The device according to claim 29, wherein each said free end of each said finger is smoothly terminated.

*Bl
cont*
32. The device according to claim 31, wherein each said free end is terminated in a bulb or ball-like structure.

33. The device according to claim 29, wherein said fingers comprise wire.

34. The device according to claim 33, wherein said fingers are electrically conductive.

35. The device according to claim 34, wherein said fingers comprise copper wire.

36. The device according to claim 29, wherein said device comprises from four to twenty-four said fingers.--
